Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD

G. Attardi
S. Bernhard
J. Cairns
G. N. Cohen
J. E. Darnell
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. D. Kaiser
A. Klug
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

LIBRARY USE ONLY

UNIVERSITY OF HAWAII LIBRARY

VOLUME 51
14 July 1970 to 14 August 1970

H301
J73

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1970, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 51

Number 1, 14 July 1970

Neubauer, Z. and Calef, E., Immunity Phase-shift in Defective Lysogens: Non-mutational Hereditary Change of Early Regulation of λ Prophage . 1

Navon, G., Shulman, R. G., Wyluda, B. J. and Yamane, T., Nuclear Magnetic Resonance Study of the Binding of Fluoride Ions to Carboxypeptidase A. 15

Adams, M. J., McPherson, A., Jr., Rossmann, M. G., Schevitz, R. W. and Wonacott, A. J., The Structure of the Nicotinamide–Adenine Dinucleotide Coenzyme when bound to Lactate Dehydrogenase 31

McPherson, A., Jr., Interaction of Lactate Dehydrogenase with its Coenzyme, Nicotinamide–Adenine Dinucleotide 39

Doyle, B. B., Traub, W., Lorenzi, G. P., Brown, F. R., III and Blout, E. R., Synthesis and Structural Investigation of Poly(L-alanyl-L-alanyl-glycine) 47

Schnös, M. and Inman, R. B., Position of Branch Points in Replicating λ DNA 61

Kuwano, M., Schlessinger, D. and Apirion, D., Ribonuclease V of *Escherichia coli*. IV. Exonucleolytic Cleavage in the 5′ to 3′ Direction with Production of 5′-Nucleotide Monophosphates 75

Björk, G. R. and Isaksson, L. A., Isolation of Mutants of *Escherichia coli* Lacking 5-Methyluracil in Transfer Ribonucleic Acid or 1-Methylguanine in Ribosomal RNA 83

Takeda, Y., Iitaka, Y. and Tsuboi, M., Structure of Poly-β-(*p*-chlorobenzyl)-L-aspartate: X-ray Analysis of the α-Helix Form 101

Marks, A. and Spencer, J. H., Isolation of *Escherichia coli* Transfer RNA–gene Hybrids 115

Boyle, J. M. and Setlow, R. B., Correlations between Host-cell Reactivation, Ultraviolet Reactivation and Pyrimidine Dimer Excision in the DNA of Bacteriophage λ 131

Barzilai, R. and Thomas, C. A., Jr., Spontaneous Renaturation of Newly-synthesized Bacteriophage T7 Deoxyribonucleic Acid 145

Williamson, R., Properties of Rapidly Labelled Deoxyribonucleic Acid Fragments Isolated from the Cytoplasm of Primary Cultures of Embryonic Mouse Liver Cells 157

Announcement 169

NUMBER 2, 28 JULY 1970

TARTOF, K. D. and PERRY, R. P., The 5 s RNA Genes of *Drosophila melanogaster* 171

SHAPIRO, D. and KOZLOFF, L. M., A C-Terminal Arginine Residue necessary for Bacteriophage T4D Tail Assembly 185

LORD, R. C. and YU, N-T., Laser-excited Raman Spectroscopy of Biomolecules. II. Native Ribonuclease and α-Chymotrypsin 203

WEBER, H. and WEISSMANN, C., The 3′-Termini of Bacteriophage Qβ Plus and Minus Strands 215

HEHLMANN, R. and HOFSCHNEIDER, P. H., Infectious Nucleic Acids of *Escherichia coli* Bacteriophages. XII. Fate of Double-stranded Bacteriophage Ribonucleic Acid in *Escherichia coli* Spheroplasts 225

FUJII-KAWATA, I., MIURA, K-I. and FUKE, M., Segments of Genome of Viruses containing Double-stranded Ribonucleic Acid 247

FUKE, M., WADA, A. and TOMIZAWA, J-I., Denaturation at the Right-hand End of the DNA Molecule of Lambda Bacteriophage 255

HARFORD, N. and SUEOKA, N., Chromosomal Location of Antibiotic Resistance Markers in *Bacillus subtilis* 267

SCHUBERT, D., Immunoglobulin Biosynthesis. IV. Carbohydrate Attachment to Immunoglobulin Subunits 287

RIGGS, A. D., NEWBY, R. F. and BOURGEOIS, S., *lac* Repressor–Operator Interaction. II. Effect of Galactosides and Other Ligands 303

SCHNEGG, B. and HOFSCHNEIDER, P. H., Transfer of Parental φX174 Deoxyribonucleic Acid to Progeny Bacteriophage Particles Observed at Low Multiplicities of Infection 315

RINGBORG, U., DANEHOLT, B., EDSTRÖM, J-E., EGYHÁZI, E. and LAMBERT, B., Electrophoretic Characterization of Nucleolar RNA from *Chironomus tentans* Salivary Gland Cells 327

DAWID, I. B., BROWN, D. D. and REEDER, R. H., Composition and Structure of Chromosomal and Amplified Ribosomal DNA's of *Xenopus laevis* . . 341

REEDER, R. H. and BROWN, D. D., Transcription of the Ribosomal RNA Genes of an Amphibian by the RNA Polymerase of a Bacterium 361

SMITH, H. O. and WILCOX, K. W., A Restriction Enzyme from *Hemophilus influenzae*. I. Purification and General Properties 379

KELLY, T. J., JR. and SMITH, H. O., A Restriction Enzyme from *Hemophilus influenzae*. II. Base Sequence of the Recognition Site 393

YANAGIDA, M. and AHMAD-ZADEH, C., Determination of Gene Product Positions in Bacteriophage T4 by Specific Antibody Association 411

WILSON, J. H., LUFTIG, R. B. and WOOD, W. B., Interaction of Bacteriophage T4 Tail Fiber Components with a Lipopolysaccharide Fraction from *Escherichia coli* 423

LAVALLÉ, R. and DE HAUWER, G., Tryptophan Messenger Translation in *Escherichia coli* 435

LETTERS TO THE EDITOR—

LAVALLÉ, R., Regulation at the Level of Translation in the Arginine Pathway of *Escherichia coli* K12 449

KUWANO, M., APIRION, D. and SCHLESSINGER, D., Ribonuclease V of *Escherichia coli*. V. Requirement for Ribosome Translocation, but not for Polypeptide Formation 453

NUMBER 3, 14 AUGUST 1970

SMITH, K. C. and MEUN, D. H. C., Repair of Radiation-induced Damage in *Escherichia coli*. I. Effect of *rec* Mutations on Post-replication Repair of Damage due to Ultraviolet Radiation 459

KASAMATSU, H. and ROWND, R., Replication of R-factors in *Proteus mirabilis*: Replication under Relaxed Control 473

GOODMAN, D., Ribosomal Protein Synthesis during Amino Acid Starvation and Chloramphenicol Treatment 491

WU, R., Nucleotide Sequence Analysis of DNA. I. Partial Sequence of the Cohesive Ends of Bacteriophage λ and 186 DNA. 501

CRAMER, F., VON DER HAAR, F., HOLMES, K. C., SAENGER, W., SCHLIMME, E. and SCHULZ, G. E., Crystallization of Yeast Phenylalanine Transfer Ribonucleic Acid 523

SAFFHILL, R., SCHNEIDER-BERNLOEHR, H., ORGEL, L. E. and SPIEGELMAN, S., *In vitro* Selection of Bacteriophage Qβ Ribonucleic Acid Variants resistant to Ethidium Bromide 531

ROSE, J. K., MOSTELLER, R. D. and YANOFSKY, C., Tryptophan Messenger Ribonucleic Acid Elongation Rates and Steady-state Levels of Tryptophan Operon Enzymes under Various Growth Conditions 541

KOHN, K. W. and SPEARS, C. L., Reaction of Anthramycin with Deoxyribonucleic Acid 551

YGUERABIDE, J., EPSTEIN, H. F. and STRYER, L., Segmental Flexibility in an Antibody Molecule 573

YOUNG, E. T., II, Cell-free Synthesis of Bacteriophage T4 Glucosyl Transferase 591

Young, E. T., II and Van Houwe, G., Control of Synthesis of Glucosyl Transferase and Lysozyme Messengers after T4 Infection 605

Thomas, C. A., Jr., Hamkalo, B. A., Misra, D. N. and Lee, C. S., Cyclization of Eucaryotic Deoxyribonucleic Acid Fragments 621

Norkin, L. C., Marker-specific Effects in Genetic Recombination . . . 633

Colli, W. and Oishi, M., A Procedure for Gene Purification: The Purification of the Ribosomal RNA Genes of *Bacillus subtilis* as DNA–RNA Hybrids . 657

Summers, W. C., The Process of Infection with Coliphage T7. IV. Stability of RNA in Bacteriophage-infected Cells 671

Ringborg, U., Daneholt, B., Edström, J.-E., Egyházi, E. and Rydlander, L., Evidence for Transport of Preribosomal RNA from the Nucleolus to the Chromosomes in *Chironomus tentans* Salivary Gland Cells . . . 679

King, H. W. S. and Gould, H., Low Molecular Weight Ribonucleic Acid in Rabbit Reticulocyte Ribosomes 687

Letters to the Editor—

Arnon, R., and Maron, E., Lack of Immunological Cross-reaction between Bovine α-Lactalbumin and Hen's Egg-white Lysozyme . . 703

Callahan, R., III, Blume, A. J. and Balbinder, E., Evidence for the Order Promoter–Operator–First Structural Gene in the Tryptophan Operon of *Salmonella* 709

Stubbs, J. D. and Stubbs, E. A., Effects of Amino Acid Starvation on Constitutive Tryptophan Messenger Ribonucleic Acid Synthesis . 717

Leytin, V. L., Podobed, O. V. and Lerman, M. I., Ribonucleoprotein Complexes containing Messenger Ribonucleic Acid from Rat Liver Polyribosomes: Analysis of Conditions of their Appearance after Diaminoethanetetra-acetic acid Treatment of Polyribosomes . . 727

Index to Volume 51

Adams, M. J., McPherson, A., Rossmann, M. G., Schevitz, R. W. & Wonacott, A. J., The structure of the nicotinamide adenine dinucleotide coenzyme when bound to lactate dehydrogenase, 31
Ahmad-Zadeh, C. (see also Yanagida, M.), 411
Amphibian ribosomal RNA genes, transcription by the RNA polymerase of a bacterium, 361
Anthramycin, reaction with DNA, 551
Antibiotic resistance markers in *Bacillus subtilis*, chromosomal location, 267
Antibody association, specific, used to determine gene product positions, 411
— molecule, segmental flexibility, 573
Apirion, D. (see also Kuwano, M.), 75, 453
Arginine pathway regulation at the level of translation in *Escherichia coli* K12, 449
Arnon, R. & Maron, E., Lack of immunological cross-reaction between bovine α-lactalbumin and hen's egg-white lysozyme, 703

Bacillus subtilis, chromosomal location of antibiotic resistance markers, 267
Bacterial RNA polymerase, transcription of the ribosomal RNA genes of an amphibian, 361
Bacteriophage double-stranded RNA, fate in *Escherichia coli* spheroplasts, 225
— λ, correlations between host-cell reactivation, ultraviolet reactivation and pyrimidine dimer excision in the DNA of bacteriophage λ, 131
— —, non-mutational hereditary change of early regulation, 1
— φX174, transfer of parental DNA to progeny particles at low multiplicities of infection, 315
— Qβ plus and minus strands, 3′ termini, 215
— —β RNA variants resistant to ethidium bromide, *in vitro* selection, 531
— T4, cell-free synthesis of glucosyl transferase, 591
— —, determination of gene product positions by specific antibody association, 411
— — infection, effect on control of glucosyl transferase and lysozyme messenger synthesis, 605
— — tail fiber components, interaction with purified *Escherichia coli* lipopolysaccharide, 423
— T4D, a C-terminal arginine residue necessary for tail assembly, 185
— T7, spontaneous renaturation of newly-synthesized DNA, 145
Balbinder, E. (see also Callahan, R.), 709
Barzilai, R. & Thomas, C. A. Spontaneous renaturation of newly-synthesized bacteriophage T7 deoxyribonucleic acid, 145
Base sequence of the recognition site of a restriction enzyme from *Hemophilus influenzae*, 393
Björk, G. R. & Isaksson, L. A., Isolation of mutants of *Escherichia coli* lacking 5-methyluracil in transfer RNA or 1-methylguanine in ribosomal RNA, 83
Blout, E. R. (see also Doyle, B. B.), 47
Blume, A. J. (see also Callahan, R.), 709
Bourgeois, S. (see also Riggs, A. D.), 303
Bovine α-lactalbumin and hen's egg-white lysozyme, lack of immunological cross-reaction, 703
Boyle, J. M. & Setlow, R. B., Correlations between host-cell reactivation, ultraviolet reactivation, and pyrimidine dimer excision in the DNA of bacteriophage λ, 131
Brown, D. D. (see also Dawid, I. B.), 341
— (see also Reeder, R. H.), 361
Brown, F. R. (see also Doyle, B. B.), 47

Calef, E. (see also Neubauer, Z.), 1
Callahan, R., Blume, A. J. & Balbinder, E., Evidence for the order promoter–operator–first structural gene in the tryptophan operon of *Salmonella*, 709
Carbohydrate attachment to immunoglobulin subunits, 287
Carboxypeptidase A, nuclear magnetic resonance study of its binding of fluoride ions, 15
Chironomus tentans salivary gland cells, electrophoretic characterization of nucleolar RNA, 327
— — — — —, evidence for transport of preribosomal RNA from the nucleolus to the chromosomes, 679

Chloramphenicol treatment and amino acid starvation effect on ribosomal protein synthesis, 491
Chromosomal and amplified ribosomal DNA's of *Xenopus laevis*, composition and structure, 341
— location of antibiotic resistance markers in *Bacillus subtilis*, 267
Coenzyme, nicotinamide adenine dinucleotide, interaction with lactate dehydrogenase, 39
—, structure of nicotinamide adenine dinucleotide when bound to lactate dehydrogenase, 31
Coliphage T7, stability of RNA in infected cells, 671
Colli, W. & Oishi, M., A procedure for gene purification: The purification of the ribosomal RNA genes of *Bacillus subtilis* as DNA–RNA hybrids, 657
Cramer, F., von der Haar, F., Holmes, K. C., Saenger, W., Schlimme, E. & Schulz, G. E., Crystallization of yeast phenylalanine transfer ribonucleic acid, 523
Crystallization of yeast phenylalanine tRNA, 523

Daneholt, B. (see also Ringborg, U.), 327, 679
Dawid, I. B., Brown, D. D. & Reeder, R. H., Composition and structure of chromosomal and amplified ribosomal DNA's of *Xenopus laevis*, 341
De Hauwer, G. (see also Lavallé, R.), 435.
Deoxyribonucleic acid, denaturation at the right end of the molecule of lambda phase, 255
— — fragments, eucaryotic, cyclization, 621
— — —, rapidly labelled, isolated from the cytoplasm of primary cultures of embryonic mouse liver cells, properties, 157
— —, newly-synthesized, spontaneous renaturation in bacteriophage T7, 145
— — of bacteriophage λ, correlations between host cell reactivation, ultraviolet reactivation and pyrimidine dimer excision, 131
— —, partial sequence of the cohesive ends of λ and 186 DNA, 501
— —, position of branch points in replicating λ DNA, 61
— — reaction with anthramycin, 551
— — – ribonucleic acid hybrids, use of, for purification of ribosomal RNA genes of *Bacillus subtilis*, 657
— —, transfer of parental ϕX174 DNA to progeny bacteriophage particles observed at low multiplicities of infection, 315
— acids of *Xenopus laevis*, composition and structure of chromosomal and amplified ribosomal DNA's, 341
Diaminoethanetetra-acetic acid treatment of rat liver polyribosomes, conditions of appearance of ribonucleoprotein complexes containing messenger RNA, 727
Doyle, B. B., Traub, W., Lorenzi, G. R., Brown, F. R., III & Blout, E. R., Synthesis and structural investigation of poly (L-alanyl-L-alanyl-glycine), 47
Drosophila melanogaster 5 S RNA genes, 171

Edstrom, J. E. (see also Ringborg, U.), 327, 679
Egyházi, E. (see also Ringborg, U.), 327, 679
Electrophoretic characterization of nucleolar RNA from *Chironomus tentans* salivary gland cells, 327
Embryonic mouse liver cells, properties of rapidly labelled DNA fragments isolated from the cytoplasm of primary cultures, 157
Epstein, H. F. (see also Yguerabide, J.), 573
Escherichia coli, effect of *rec* mutations on postreplication repair of damage due to ultraviolet radiation, 459
— —, fate of double-stranded bacteriophage RNA in the spheroplasts, 225
— —, isolation of mutants lacking 5-methyluracil in tRNA or 1-methylguanine in ribosomal RNA, 83
— — — of tRNA–gene hybrids, 115
— — K12, regulation at the level of translation of the arginine pathway, 449
— — purified lipopolysaccharide, interaction with bacteriophage T4 tail fiber components, 423
— — ribonuclease V, exonucleolytic cleavage in the 5′ to 3′ direction with production of 5′ nucleotide monophosphates, 75
— — — —, requirement for ribosome translocation but not for polypeptide formation, 453
— —, tryptophan messenger translation, 435
Ethidium bromide resistant RNA variants of bacteriophage Qβ, *in vitro* selection, 531
Exonucleolytic cleavage by ribonuclease V of *Escherichia coli* in the 5′ to 3′ direction with production of 5′ nucleotide monophosphates, 75

Fluoride ion binding to carboxypeptidase A, nuclear magnetic resonance study, 15
Fujii-Kawata, I., Miura, K.-I. & Fuke, M. Segments of genome of viruses containing double-stranded ribonucleic acid, 247
Fuke, M., Wada, A. & Tomizawa, J-I., Denaturation at the right end of the DNA molecule of lambda phase, 255
— (see also Fujii-Kawata, I.), 247

Galactosides and other ligands, effect on *lac* repressor–operator interaction, 303
Gene product positions in bacteriophage T4 determined by specific antibody association, 411
— –tRNA hybrids isolated from *Escherichia coli*, 115
Genetic recombination, marker specific effects, 633
Genome segments of viruses containing double-stranded RNA, 247
Genes, ribosomal RNA, of *Bacillus subtilis*, purification as DNA–RNA hybrids, 657
Glucosyl transferase, cell-free synthesis in bacteriophage T4, 591
— —, control of synthesis after T4 infection, 605
Goodman, D., Ribosomal protein synthesis during amino acid starvation and chloramphenicol treatment, 491
Gould, H. (see also King, H. W. S.), 687

von der Haar, F. (see also Cramer, F.), 523
Hamkalo, B. A. (see also Thomas, C. A.), 621
Harford, N. & Sueoka, N., Chromosomal location of antibiotic resistance markers in *Bacillus subtilis*, 267
Haemophilus influenzae, base sequence of the recognition site of a restriction enzyme, 393
Hehlmann, R. & Hofschneider, P. H., Infectious nucleic acids of *Escherichia coli* bacteriophages. XII. Fate of double-stranded bacteriophage ribonucleic acid in *Escherichia coli* spheroplasts, 225
Hemophilus influenzae, purification and general properties of a restriction enzyme, 379
Hen's egg-white lysozyme, and bovine α-lactalbumin, lack of immunological cross-reaction, 703
Heredity change, non-mutational, of early regulation of λ prophage, 1
Hofschneider, P. H. (see also Hehlmann, R.), 225
— (see Schnegg, B.), 315
Holmes, K. C. (see also Cramer, F.), 523

Iitaka, Y. (see also Takeda, Y.), 101
Immunity phase-shift in defective lysogens, 1
Immunoglobulin cross-reaction, lacking between bovine α-lactalbumin and hen's egg-white lysozyme, 703
— subunits, carbohydrate attachment, 287
Inman, R. B. (see also Schnös, M.), 61
Isaksson, L. A. (see also Björk, G. R.), 83

K12 (see *Escherichia coli*), 451
Kasamatsu, H. & Rownd, R., Replication of r-factors in *Proteus mirabilis*: replication under relaxed control, 473
Kelly, Jr., T. J. & Smith, H. O., A restriction enzyme from *Hemophilus influenzae* II. Base sequence of the recognition site, 393
King, H. W. S. & Gould, H., Low molecular weight ribonucleic acid in rabbit reticulocyte ribosomes, 689
Kohn, K. W. & Spears, C. L., Reaction of anthramycin with DNA, 551
Kozloff, L. M. (see also Shapiro, D.), 185
Kuwano, M., Apirion, D. & Schlessinger, D., RNase of *Escherichia coli* V. Requirement for ribosome translocation, but not for polypeptide formation, 453
—, Schlessinger, D. & Apirion, D., Ribonuclease V of *Escherichia coli* IV. Exonucleolytic cleavage in the 5′ to 3′ direction with production of 5′-nucleotide monophosphates, 75

λ (see Bacteriophage), 1, 131
λ (see Deoxyribonucleic acid)
λ DNA, replicating position of branch points, 61

lac repressor–operator interaction, effect of galactosides and other ligands, 303
α-Lactalbumin and hen's egg-white lysozyme, lack of immunological cross-reaction, 701
Lactate dehydrogenase, interaction with its coenzyme nicotinamide adenine dinucleotide, 39
— —, structure of bound nicotinamide adenine dinucleotide coenzyme, 31
Lambda phage DNA molecule, denaturation at the right end, 255
Lambert, B. (see also Ringborg, U.), 327
Laser-excited raman spectra of native ribonuclease and α-chymotrypsin, 203
Lavallé, R., Regulation at the level of translation in the arginine pathway of *Escherichia coli* K12, 449
— & De Hauwer, G., Tryptophan messenger translation in *Escherichia coli*, 435
Lee, C. S. (see also Thomas, C. A.), 621
Lerman, M. I. (see also Leytin, V. L.), 727
Leytin, V. L., Podobed, O. V. & Lerman, M. I. Ribonucleoprotein complexes containing messenger ribonucleic acid from rat liver polyribosomes: analysis of conditions of their appearance after diaminoethanetetra-acetic acid treatment of polyribosomes, 727
Lipopolysaccharide of *Escherichia coli*, purified, interaction with bacteriophage T4 tail fiber components, 423
Liver cells, mouse, embryonic, properties of rapidly labelled DNA fragments isolated from the cytoplasm of primary cultures, 157
— polyribosomes, rat, treated with diaminooethanetetra-acetic acid, conditions of appearance of ribonucleoprotein complexes containing messenger RNA, 727
Lord, R. C. & Yu, Nai-teng, Laser-excited raman spectra of biomolecules II. Native ribonuclease and α-chymotrypsin, 203
Lorenzi, G. P. (see also Doyle, B. B.), 47
Luftig, R. B. (see also Wilson, J. H.), 423
Lysozyme, hen's egg-white, and bovine α-lactalbumin, lack of immunological cross-reaction, 703
— messengers, control of synthesis after T4 infection, 605

Maron, E. (see also Arnon, R.), 703
Marks, A. & Spencer, J. H., Isolation of *Escherichia coli* transfer RNA–gene hybrids, 115
McPherson, A. (see also Adams, M. J.), 31
—, Interaction of lactate dehydrogenase with its coenzyme, nicotinamide adenine dinucleotide, 39
Messenger RNA contained in ribonucleoprotein complexes from rat liver polyribosomes, conditions of their appearance after diaminoethanetetra-acetic acid treatment, 727
— — for tryptophan, effects of amino acid starvation on constitutive synthesis, 573
— — — —, elongation rates under various growth conditions, 541
1-Methylguanine, lacking in ribosomal RNA of *Escherichia coli* mutants, 83
5-Methyluracil, lacking in tRNA of *Escherichia coli* mutants, 83
Meun, D. H. C. (see also Smith, K. C.), 459
Misra, D. N. (see also Thomas, C. A.), 621
Miura, K.-I. (see also Fujii-Kawata, I.), 247
Mosteller, R. D. (see also Rose, J. K.), 541
Mouse liver cells, embryonic, properties of rapidly labelled DNA fragments isolated from the cytoplasm of primary cultures, 157
Mutations, *rec* in *Escherichia coli*, effect on post-replication repair of damage due to ultraviolet radiation, 459

Navon, G., Shulman, R. G., Wyluda, B. J. & Yamane, T., Nuclear magnetic resonance study of of the binding of fluoride ions to carboxypeptidase A, 15
Neubauer, Z. & Calef, E., Immunity phase-shift in defective lysogens: non-mutational hereditary change of early regulation of λ prophage, 1
Newby, R. F. (see also Riggs, A. D.), 303
Nicotinamide adenine dinucleotide, coenzyme structure when bound to lactate dehydrogenase, 31
— — —, interaction with lactate dehydrogenase, 39
Norkin, L. C., Marker-specific effects in genetic recombination, 633
Nuclear magnetic resonance study of the binding of fluoride ions to carboxypeptidase A, 15
Nucleolar RNA from *Chironomus tentans* salivary gland cells, electrophoretic characterization, 327

Oishi, M. (see also Colli, W.), 657
Operon enzymes, tryptophan, steady state levels under various growth conditions, 541
Operator–repressor interaction, *lac*, effect of galactosides and other ligands, 303
Orgel, L. E. (see also Saffhill, R.), 531

ϕX174 (see Bacteriophage)
Perry, R. P. (see also Tartof, K. D.), 171
Phenylalanine tRNA of yeast, crystallisation, 523
Podobed, O. V. (see also Leytin, V. L.), 727
Poly-β-(*p*-chlorobenzyl)-L-aspartate, X-ray analysis of the α-helix form, 101
— (L-alanyl-L-alanyl-glycine), synthesis and structural investigation, 47
Preribosomal RNA, evidence for transport from the nucleolus to the chromosome in *Chironomous tentans* salivary gland cells, 679
Proteus mirabilis, replication of r-factors under relaxed control, 473
Pyrimidine dimer excision in the DNA of bacteriophage λ, correlations with host cell reactivation and ultraviolet reactivation, 131

Qβ (see Bacteriophage)

R-Factors in *Proteus mirabilis*, replication under relaxed control, 473
Rabbit reticulocyte ribosomes, low molecular weight RNA, 687
Raman spectra, laser-excited, of native ribonuclease and α-chymotrypsin, 203
Rat liver polyribosomes treated with diaminoethanetetra-acetic acid, conditions of appearance of ribonucleoprotein complexes containing messenger RNA, 727
Recognition site base sequence of a restriction enzyme from *Hemophilus influenzae*, 393
Reeder, R. H. (see also Dawid, I. B.), 341
— & Brown, D. D., Transcription of the ribosomal RNA genes of an amphibian by the RNA polymerase of a bacterium, 361
Repressor–operator interaction, *lac*, effect of galactosides and other ligands, 303
Restriction enzyme from *Hemophilus influenzae*, base sequence of the recognition site, 393
— — — — —, purification and general properties, 379
Reticulocyte ribosomes, rabbit, low molecular weight RNA, 687
Ribonuclease, native, and α-chymotrypsin, laser-excited raman spectra, 203
— V of *Escherichia coli*, exonucleolytic cleavage in the 5′ to 3′ direction with production of 5′ nucleotide monophosphates, 75
— — — — —, requirement for ribosome translocation but not for polypeptide formation, 453
Ribonucleic acid, bacteriophage, double-stranded, fate in *Escherichia coli* spheroplasts, 225
— —, crystallization of yeast phenylalanine tRNA, 521
— — genes of an amphibian, ribosomal, transcription by the RNA polymerase of a bacterium, 361
— —, isolation of *Escherichia coli* mutants lacking 5-methyluracil in tRNA or 1-methylguanine in ribosomal RNA, 83
— —, low molecular weight, in rabbit reticulocyte ribosomes, 687
— —, messenger for tryptophan, effects of amino acid starvation on constitutive synthesis, 573
— —, — — —, elongation rates under various growth conditions, 541
— —, nucleolar from *Chironomus tentans* salivary gland cells, electrophoretic characterization, 327
— —, preribosomal, evidence for transport from the nucleolus to the chromosome in *Chironomus tentans* salivary gland cells, 679
— —, 5 s RNA genes of *Drosophila melanogaster*, 171
— —, segments of genome of viruses containing double-stranded RNA, 247
— —, stability in cells infected with coliphage T7, 671
— —, tRNA–gene hybrids isolated from *Escherichia coli*, 115
— acids variants of bacteriophage Qβ resistant to ethidium bromide, *in vitro* selection, 531
Ribonucleoprotein complexes containing messenger RNA from rat liver polyribosomes conditions of their appearance after treatment with diaminoethanetetra-acetic acid, 727
Ribosomal, amplified, and chromosomal DNA's of *Xenopus laevis*, composition and structure, 341
—protein synthesis during amino acid starvation and chloramphenicol treatment, 491
— RNA lacking in 1-methyluracil found in *Escherichia coli* mutants, 83
Riggs, A. D., Newby, R. F. & Bourgeois, S., *lac* repressor–operator interaction. II. Effect of galactosides and other ligands, 303
Ringborg, U., Daneholt, B., Edström, J. E., Egyházi, E. & Lambert, B., Electrophoretic characterization of nucleolar RNA from *Chironomus tentans* salivary gland cells, 327
—, —, —, — & Rydlander, L., Evidence for transport of preribosomal RNA from the nucleolus to the chromosomes in *Chironomus tentans* salivary gland cells, 679
Rose, J. K., Mosteller, R. D. & Yanofsky, C., Tryptophan messenger ribonucleic acid elongation rates and steady-state levels of tryptophan operon enzymes under various growth conditions, 541
Rossmann, M. G. (see also Adams, M. J.), 31
Rownd, R. (see also Kasamatsu, H.), 473
Rydlander, L. (see also Ringborg, U.), 679

Saenger, W. (see also Cramer, F.), 523
Saffhill, R., Schneider-Bernloehr, H., Orgel, L. E. & Spiegelman, S., *In vitro* selection of bacteriophage Qβ ribonucleic acid variants resistant to ethidium bromide, 531
Salivary gland cells of *Chironomus tentans*, electrophoretic characterization of nucleolar RNA, 327
— — — — — —, evidence for transport of preribosomal RNA from the nucleolus to the chromosomes, 679
Schevitz, R. W. (see also Adams, M. J.), 31
Schlessinger, D. (see also Kuwano, M.), 75, 453
Schlimme, E. (see also Cramer, F.), 523
Schnegg, B. & Hofschneider, P. H., Transfer of parental φX174 deoxyribonucleic acid to progeny bacteriophage particles observed at low multiplicities of infection, 315
Schneider-Bernloehr, H. (see also Saffhill, R.), 531
Schnös, M. & Inman, R. B., Position of branch points in replicating λ DNA, 61
Schubert, D., Immunoglobulin biosynthesis. IV. Carbohydrate attachment to immunoglobulin subunits, 287
Schulz, G. E. (see also Cramer, F.), 523
Setlow, R. B., (see also Boyle, J. M.), 131
Shapiro, D. & Kozloff, L. M., A C-terminal arginine residue necessary for bacteriophage T4D tail assembly, 185
Shulman, R. G. (see also Navon, G.), 15
Smith, H. O. (see also Kelly, Jr., T. J.), 393
— & Wilcox, K. W., A restriction enzyme from *Hemophilus influenzae* I. Purification and general properties, 379
Smith, K. C. & Meun, D. H. C., Repair of radiation-induced damage in *Escherichia coli*. Effect of *rec* mutations on post-replication repair of damage due to ultraviolet radiation, 459
Spears, C. L. (see also Kohn, K. W.), 551
Spheroplasts, fate of double-stranded bacteriophage RNA in *Escherichia coli*, 225
Spiegelman, S. (see also Saffhill, R.), 531
Spencer, J. H. (see also Marks, A.), 115
Stryer, L. (see also Yguerabide, J.), 573
Stubbs, E. A. (see also Stubbs, J. D.), 717
Stubbs, J. D. & Stubbs, E. A., Effects of amino acid starvation on constitutive tryptophan messenger ribonucleic acid synthesis, 717
Summers, W. C., The process of infection with coliphage T7. IV. Stability of RNA in bacteriophage-infected cells, 671
Sueoka, N. (see also Harford, N.), 267

T4 (see Bacteriophage), 411
T4D (see Bacteriophage)
T7 (see Bacteriophage)
Takeda, Y., Iitaka, Y. & Tsuboi, M., Structure of Poly-β-(*p*-chlorobenzyl)-L-aspartate: I. X-ray analysis of the α-Helix Form, 101
Tartof, K. D. & Perry, R. P., The 5 s RNA genes of *Drosophila melanogaster*, 171
Thomas, C. A. (see also Barzilai, R.), 145
—, Hamkalo, B. A., Misra, D. N. and Lee, C. S., Cyclization of eucaryotic deoxyribonucleic acid fragments, 621
Tomizawa, J-I. (see also Fuke, M.), 255
Transcription of ribosomal RNA genes of an amphibian by the RNA polymerase of a bacterium, 361
Transfer RNA for phenylalanine from yeast, crystallization, 523
— — lacking 5-methyluracil found in *Escherichia coli* mutants, 83
Translation in the arginine pathway of *Escherichia coli* K12, regulation at translation level, 449
— of tryptophan messenger in *Escherichia coli*, 435
Traub, W. (see also Doyle, B. B.), 47
Tryptophan messenger RNA, effects of amino acid starvation on constitutive synthesis, 573
— — — elongation rates under various growth conditions.
— — translation in *Escherichia coli*, 435
— operon, *Salmonella*, evidence for the order promoter–operator–first structural gene, 709
Tsuboi, M. (see also Takeda, Y.), 101

Ultraviolet irradiation damage in *Escherichia coli*, effect of *rec* mutations on post-replication repair, 459
— reactivation, correlations with host cell reactivation and pyrimidine dimer excision in the DNA of bacteriophage λ, 131